

PUMP & WELL ACCESSORIES



Dedicated
Sales Rep for
Your Area



97%
97% Fill
Rate



Shipping within
24 Hours



State of the
Art Warehouse
System



Technical
Support



Quality Control
Program



25 Whaley Avenue
Milverton, Ontario N0K 1M0
Toll Free 1-800-561-3164
Phone: (519) 595-4444
Fax: (519) 595-4380
www.boshart.com

Many Products...One Source

PUMP & WELL ACCESSORIES

Bronze/Brass Tank Tees

Solid Bronze Tank Tees

- Lengths Available: 3 3/4" - 13"

Fabricated Bronze/Copper Tank Tees

- Lengths Available: 10" - 16"

Solid Brass O-Ring Union Tank Tees

- Lengths Available: 4 1/2" - 13"

Solid Bronze O-Ring Union Tank Tees

- Lengths Available: 4 1/2" - 13"

Solid Bronze Teflon Union Tank Tees

- Lengths Available: 4 1/2" - 13"

Solid Bronze To Bronze Ground Joint Union Tank Tees

- Lengths Available: 4 1/2" - 13"

Flexcon Tank Tees

- Lengths Available: 3 1/2"

Elevated Tank Tees

- Lengths Available: 4 1/2" - 13 3/4"

Female Union Tank Tees

- Lengths Available: 3"



Stainless Steel Tank Tees

Stainless Steel Teflon Washer Union Tank Tees

- Lengths Available: 4 1/2" - 13"



Constant Pressure Manifold Packages

Stainless Steel Package

Includes:

- Stainless C.P. Manifold
- S.S. Center Back Mount Gauge
- 3/4" S.S. Hose Bibb
- 1/2" S.S. Relief Valve
- 1" x 1/2" and 1" x 3/4" Sched 40 Bushings

Bronze Package

Includes:

- Bronze C.P. Manifold
- Center Back Mount Gauge
- 3/4" Brass Hose Bibb
- 1/2" Brass Relief Valve
- 3/4" x 1/2" Bronze Bushing

Packages are also available with or without manifold brackets.
For more information on the Manifold Packages, please contact your Sales Rep.



Tank Tee Packages Available



Constant Pressure Manifolds & Brackets

Compact Bronze Manifolds

Bronze Constant Pressure Manifolds

Stainless Steel Constant Pressure Manifolds

Manifold Brackets



Also available are Galvanized Malleable and PVC Tank Tees. Please contact your Sales Rep for more details!



PUMP & WELL ACCESSORIES

Check Valves

Bronze or Brass Check Valves

- Sizes 1/2" - 4"
- Available in Bronze or cast Brass body and poppet
- NBR "O" Ring seal (Nitrile Buna-N)
- Temp Max 180°F (80°C)
Pressure Max 200 PSI
Available in Male x Female

Stainless Steel Check Valves

- Sizes 1/2" - 4"
- #304 Stainless steel body and poppet
- Viton "O" Ring seal
- Temp Max 180°F (80°C)
Pressure Max 200 PSI
Available in Male x Female

Swing Check Valves

- Sizes 1/2" - 4"
- Cast Bronze body, disc and cap
- Brass rod pin and screw
- Temp Max 212°F (100°C)
Pressure Max 200 PSI

PVC In-Line Check Valves

- Sizes 1/2" - 2" Threaded & Socket
- Durable PVC body / #304 Stainless steel spring
- PVC poppet c/w EPDM seal
- #302 Stainless steel bolt and washer
- Temp Max 140°F (60°C)
Pressure Max 200 PSI

Foot Valves

Bronze or Brass Foot Valves

- Sizes 1/2" - 4"
- Available in cast bronze or cast brass body and poppet
- Stainless Steel screen
- NBR "O" Ring seal (Nitrile Buna-N)
- Temp Max 180°F (80°C)
Pressure Max 200 PSI



PVC Foot Valves

- Sizes 1/2" - 6"
- Injection molded PVC body and poppet with screen
- Durable #304 Stainless steel spring for long lasting operation
- Alkali and acid resistant
- NBR seal (Nitrile Buna-N)
- Temp Max 140°F (60°C)
Pressure Max 150 PSI at 68°F (20°C)



Stainless Steel Foot Valves

- Sizes 1/2" - 4"
- #304 Stainless steel body and poppet
- #304 Stainless screen
- Viton "O" Ring seal
- Temp Max 180°F (80°C)
Pressure Max 200 PSI

Relief Valves

Deluxe Relief Valves

- Heavy duty cast bronze body
- Stainless steel spring
- EPDM rubber sealing disc
- Available in sizes 1/2" MPT - 2" MPT

Relief Valves (Non-Adjustable)

- Bronze, Brass or Stainless Steel
- Stainless steel spring and retaining screw
- Buna N sealing disc
- Available in sizes 1/2" MPT - 3/4" MPT

PUMP & WELL ACCESSORIES

Brass Tank Tee Union Connections

Union Connections



Solder

PEX

Barbed

Heat Shrink Kits

- HS Series "Heavy Duty"
- HSK Series "Fast Recovery"
- 3" - 48" Lengths
- Clear & black tubes
- Sizes 14AWG - 2AWG



Stainless Steel Screen Drive Well Points

- Rugged design with octagonal Cast Iron head to prohibit turning in tough driving conditions
- Bronze MIG weld top and bottom
- Stainless steel screen with 1/8" staggered perforations
- Available in 60-80-100 mesh stainless steel gauze
 - Sized by useable screen length
 - Spot welded seam



Tape

General Purpose Electrical Tape
Cold Weather Tape
Self Bonding Electrical Tape
Teflon Tape

Submersible Torque Arrestors

- Precision Moulded to exacting specifications
- Protects submersible pumps from starting torque damage
- Securely fasten to 1" or 1 1/4" or 2" drop pipe with the stainless steel clamps provided



Torque Arrestor "Spider"

- Tabs marked for 4", 5" or 6" installation
- Offers cable guide feature

Also available, a complete line of accessories including Drive Cap Couplings, Well Seals, Well Caps, Pitless Adapters, Yard Hydrants, Air Volume Controls, Valves & Fittings.

Distributed By: